

## CORRIGENDUM

AMANDINE SCHAEFFER, MONINYA ROUGHAN, AND BRADLEY D. MORRIS

*Coastal and Regional Oceanography Laboratory, University of New South Wales, Sydney, New South Wales, Australia*

(Manuscript received and in final form 16 April 2014)

---

The rotation angle of the principal axis for two locations in [Schaeffer et al. \(2013\)](#) was incorrectly reported. The major axis orientation in [Table 1](#) for both CH070 and CH100 should read 20° and not 7°. This resulted in an error in Fig. 1b of [Schaeffer et al. \(2013\)](#). The correct [Table 1](#) and [Fig. 1](#) appear below. This does not affect any of the analysis or conclusions. The authors regret any inconvenience this error may have caused.

### REFERENCE

Schaeffer, A., M. Roughan, and B. Morris, 2013: Cross-shelf dynamics in a western boundary current regime: Implications for upwelling. *J. Phys. Oceanogr.*, **43**, 1042–1059, doi:[10.1175/JPO-D-12-0177.1](https://doi.org/10.1175/JPO-D-12-0177.1).

---

*Corresponding author address:* Amandine Schaeffer, School of Mathematics and Statistics, University of New South Wales, Sydney, NSW 2052, Australia.  
E-mail: [a.schaeffer@unsw.edu.au](mailto:a.schaeffer@unsw.edu.au)

TABLE 1. Mooring information. The temporal coverage is calculated over a period of 2 yr, from January 2010 to December 2011.

Name	Latitude	Water depth (m)	Distance offshore (km)	Major axis orientation ( $^{\circ}$ )	Current		Temperature	
					Bin depths (m)	Temporal coverage	Sensors depths (m)	Temporal coverage
CH070 (midshelf)	-30.275	74	16	20	10–65	82%	16–72	100%
CH100 (shelf break)	-30.268	98	25	20	13–89	75%	11–96	90%
ORS065 (midshelf)	-33.897	67	2	16	11–61	100%	16–66	100%
SYD100 (midshelf)	-33.943	104	10	19	12–96	89%	24–102	100%
SYD140 (shelf break)	-33.994	138	19	24	23–127	98%	21–137	86%




FIG. 1. (a) Sea surface temperature (3-day composite) and geostrophic currents on 7 Jan 2010. Mean depth-averaged current vectors and variance ellipses at (b) Coffs Harbour (CH070 and CH100) and (c) Sydney (ORS065, SYD100, and SYD140) moorings. The mean wind stress from the meteorological stations is shown in gray. The coastline and 20-, 100-, 200-, 500-, 1000-, and 2000-m isobaths are shown, with bold lines for 200 and 2000 m.